

### Leonard Industrial Co., Limited

**Professional Water Treatment & Bottling Solutions** 

https://www.lndwaterbottling.com Email: ben@waterbottlingsolution.cn Whatsapp: +8613725957662 (Mr Ben Liu)

Address: No.78, XingYe Road, Chaolian Town, Jiangmen City, Guangdong, China. (Jiangmen Office) Address: RM 1902 EASEY COMM BLDG 253-261 HENNESSY ROAD WANCHAI, HK (Hongkong Office)

Tel: +86 137 2595 7662 (Whatsapp) +86-750 3094316 Fax: +86 750 3723909

### 200B/H 5 Gallon Bottled Water Filling Machine



#### Features:

- 1) Controlled by PLC with the functions of automatic finish, precise orientation, little manpower and low working intensity.
- 2)The complete set of equipment is manufactured by high-strength stainless steel materials and stainless plate steel with precise argon arc, little distortion and fair welding veins
- 3) Beautiful appearance, anti-corrodibility, thorough disinfection, effective anti-air pollution and high quality
- 4) Microcomputer Auto Bottle Washer & Filler and Capper in one unit.
- 5) Body material: SS304.

#### **Technical Parameter:**

Items	Specification	
Production capacity	200Buckets/hour	
Bottle's capacity	18. 9 Liters (equal to 5 gallons)	
	11. 3 Liters (equal to 3 gallons)	
Bottle's specification (mm)	Ф270×490×Ф56	
	Ф230×420×Ф56	

## Leonard Industrial Co., Limited Professional Water Treatment & Bottling Solutions

https://www.Indwaterbottling.com Email: ben@waterbottlingsolution.cn Whatsapp: +8613725957662 (Mr Ben Liu)

Cap's specification (mm)		Ф58×40 (strip:L18mm,W:7.5mm)	
Rated input power		4.0KW	
Electromotor power	Bottle convey motor	0.37KW	
	Tap water washing pump	0.37KW	
	Disinfectant washing pump	0.37KW	
	Pure washing pump & filling pump	0.55KW * 2	
	Cap-aligning electromotor	0.06 KW	
Power supply		AC 380V±5% 50Hz	
Rated current		28A	
	Net weight	380Kg	
	Outer size	3220×970×1600(mm)	
Require	ement of air compressor	0.1 M³ 0.17 M³/Min	0.8Mpa/Cm²
Requirement of water supply 5M³/H			
	Double row four stations for bottle washing, two filling nozzles and two capping heads		
	The first, second station: disinfectant washing		
Working Position		The third station: tap water washing	
	The fourth station: pure water washing		
Main Components	1)Signal Relay(OMRON);		
	2)PLC(LG)		
	3)Exchange contactor(LG)		
	4)Speed-down motor		
	5)Proximity switch(TURCK)		
	6)Creepage air switch (Schneider)		
		7)Cylinder(AIR TAC)	




# Leonard Industrial Co., Limited Professional Water Treatment & Bottling Solutions

https://www.Indwaterbottling.com Email: ben@waterbottlingsolution.cn Whatsapp: +8613725957662 (Mr Ben Liu)

Pictures of the 200B/H 5 Gallon Bottled Water Filling Machine:







**Cap Press Cover** 





200B/H Gallon Bottled Water Filling Machine